



PVC SPORT FLOOR




Product Features

1. **Performance:** The polyurethane treatment provides excellent resistance to dirt build-up while providing a durable surface that's easy to maintain.
2. **Wear Resistance:** 100% vinyl wearlayer provides superior durability and the sports floor life expectancy is 15 years above.
3. **Dimensional Stability:** A compact PVC layer with reinforced woven fiberglass gives superior dimensional stability.
4. **Shock Absorption:** The back foam layer has an extremely dense cellular structure, providing unrivaled acoustic performance, ideal shock absorption, and natural ball rebound.
5. **Perfect Adhesion:** The backing is an engineered honeycomb texture for perfect adhesion to the subfloor.




Sports flooring is available in four thicknesses: 3.5mm, 4.5mm, 6.0mm and 8.0mm. Other thickness from 2.0mm to 9.0mm is also available under request.


Product Surfaces



Leather



Lichi



Extreme



Wood





Sand




Carpet

Product Colors



Sport Characteristics



Production Technique




Coating

Flexibility and precision are the key to high quality in the case of coating.



Printing/Lacquering

The quality of the printed pattern predominantly influences the appearance of a decorative product.




Laminating

Laminating machines allow the optimum bonding of different basic materials to high-quality functional systems.



Embossing/Smoothing

Embossing and smoothing machines produce precise surface structures for technical or decorative applications. In combination with different printing patterns attractive register



Test & Certificates




Project reference





INSTALLATION TOOLS



MORE PRODUCTS



CONTACT US

TEL: +66(0)2 2143001

FAX: +66(0)2 6137986

Email: sales@llvthailand.com

lily@llvthailand.com

